

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3087	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:56
L2	4366	713/200,176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:56
L3	444	@ad<"19990422" and (hash signature) and object and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
L4	0	3 and object with outdated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
L5	48	3 and object with (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
L6	611	@ad<"19990422" and 707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
L7	73	6 and object with (compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
L8	4	6 and object with outdated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
L9	97	@ad<"19990422" and (hash signature) and object and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57

S1	2804	abstract adj data adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 10:00
S2	8	(abstract adj data adj type) same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 09:44
S3	39	data adj type with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 09:47
S4	22	(data adj type with hash) and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 09:54
S5	138	object with repository and hash and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:48
S6	3	object same version with control same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 10:25
S7	112	object with outdated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
S8	3	@ad<"19990422" and hash and object with outdated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 11:24
S9	5	@ad<"19990422" and (hash signature) and object with outdated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:57
S10	59	object with outdated and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:31

S11	6	"5778362".pn. "5724576".pn. "5019963".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 13:40
S12	263	store\$2 with hash with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 13:40
S13	118	(store\$2 with hash with object) and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 13:44
S14	1145	@ad<"19990422" and object same version same control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 13:49
S15	5	@ad<"19990422" and object same version same control same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 15:18
S16	226	@ad<"19990422" and hash with (class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 15:34
S17	166	(@ad<"19990422" and hash with (class)) and (version outdat\$4 compare)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 15:19
S18	33	compare with hash with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 15:35
S19	15	@ad<"19990422" and (compare with hash with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 15:40
S20	3	@ad<"19990422" and object with repository and compare with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 15:42
S21	1	"5231668".PN.	USPAT	OR	OFF	2003/12/01 15:49

S22	78	"5343527".URPN.	USPAT	OR	ON	2003/12/01 15:49
S23	78	"5343527".URPN.	USPAT	OR	ON	2003/12/01 16:10
S24	1	(US-6526508-\$).did.	USPAT	OR	OFF	2003/12/01 16:09
S25	47	"5343527".URPN. and hash	USPAT	OR	ON	2003/12/01 16:10
S26	55	"5343527".URPN. and (digest hash)	USPAT	OR	ON	2003/12/01 16:10
S27	0	@ad<"19990422" and library adj function with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/01 16:32
S28	2	@ad<"19990422" and library adj function same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:32
S29	17691709	@ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:32
S30	6	compare with guid with object and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:37
S31	16927	cvs and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:39
S32	6550	cvs and @ad<"19990422" and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:40
S33	54	cvs and @ad<"19990422" and object and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:41
S34	201	hash with version and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:49

S35	18	hash with version same object and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 09:51
S36	17691709	@ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 15:07
S37	764	relational and object with repository	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 15:07
S38	278	(relational and object with repository) and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 15:51
S39	47	(relational and object with repository) and @ad<"19990422" and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 15:53
S40	47	((relational and object with repository) and @ad<"19990422") and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/02 15:53
S41	3	(US-6154747-\$ or US-5343527-\$ or US-5933849-\$).did.	USPAT	OR	OFF	2003/12/05 11:03
S42	2	((US-6154747-\$ or US-5343527-\$ or US-5933849-\$).did.) and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:03
S43	17691710	@ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:06
S44	317	@ad<"19990422" and object same relational same database same store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:12

S45	4	@ad<"19990422" and object same relational same database same store same hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:09
S46	274	@ad<"19990422" and object same relational adj database same store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:18
S47	57	(@ad<"19990422" and object same relational adj database same store) and version with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:19
S48	0	380/23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:30
S49	0	380/023.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:29
S50	1940	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:29
S51	0	380/023.000.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:34
S52	0	707/203.000.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:35
S53	926	707/203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:35
S54	603	707/203.ccls. and @ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:35

S55	71	(707/203.ccls. and @ad<"19990422") and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:35
S56	31	rainbow and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:05
S57	244	content with delivery same player	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:06
S58	17693534	@ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/08 12:05
S59	3	"6505211".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 08:43
S60	17715031	@ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 09:04
S61	2344	@ad<"19990422" and version with check\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 09:08
S62	0	(@ad<"19990422" and version with check\$5) and database with hash with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 09:10
S63	0	(@ad<"19990422" and version with check\$5) and database same hash with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 09:10
S64	21	(@ad<"19990422" and version with check\$5) and database with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 09:21

S65	118	@ad<"19990422" and object adj (repository storage database) and object with hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 09:26
S66	17715463	@ad<"19990422"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:32
S67	607	@ad<"19990422" and 707/203. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:35
S68	132	@ad<"19990422" and 715/511. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:37
S69	71	(@ad<"19990422" and 707/203. ccls.) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:37
S70	75	(@ad<"19990422" and 707/203. ccls.) and hash\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 14:12
S71	186	(@ad<"19990422" and 713/200, 167.ccls.) and hash\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 14:12
S74	238	@ad<"19990422" and object adj repository	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 11:24
S75	10	S74 and (verif\$5 validat\$5 check\$5) near2 hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 11:25
S76	13	S74 and (verif\$5 validat\$5 check\$5 compar\$6) near2 hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 11:35

S77	0	S74 and ((data adj type) abstract) near2 hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 11:35
S78	8	@ad<"19990422" and ((data adj type) abstract) near2 hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 11:35